

Appendix B

Time Series Plots of Nutrient Concentrations, Flow Rates, and Mass Loads For the Brandywine River

East Brandywine Above Downingtown
- USGS, PADEP, and DE DNREC Data - All Flows




East Brandywine Above Downingtown - USGS, PADEP and DNREC Data - Flows < 33 cfs




Draft

East Brandywine Above Downingtown - USGS, PADEP, and DE DNREC Data - All Flows




East Brandywine Above Downingtown - USGS, PADEP and DNREC Data - Flows < 33 cfs




Draft

East Brandywine Above Downingtown USGS, PADEP, and DE DNREC Data - All Flows




East Brandywine Above Downingtown - USGS, PADEP and DNREC Data - Flows < 33 cfs




Note: USGS detection limit = 0.01 mg/L P

East Brandywine Above Downingtown
- USGS, PADEP, and DE DNREC Data - All Flows




East Brandywine Above Downingtown - USGS, PADEP and DNREC Data - Flows < 33 cfs




Note: USGS detection limit = 0.01 mg/L P

Draft

East Brandywine Below Downingtown PA DEP Data June-October Data 1995-1997 - All Flows




East Brandywine Below Downingtown PA DEP Data
Aug-October Data 1995-1997 - Flows < 50 cfs




Draft

East Brandywine Below Downingtown PA DEP Data
June-October Data 1995-1997 - All Flows




East Brandywine Below Downingtown PA DEP Data Aug-October Data 1995-1997 - Flows < 50 cfs




Draft

East Brandywine Below Downingtown PA DEP Data June-October Data 1995-1997 - All Flows




East Brandywine Below Downingtown PA DEP Data
Aug-October Data 1995-1997 - Flows < 50 cfs




Draft

East Brandywine Below Downingtown PA DEP Data June-October Data 1995-1997 - All Flows




East Brandywine Below Downingtown PA DEP Data Aug-October Data 1995-1997 - Flows < 50 cfs




Draft

East Brandywine at Wawaset-Combined USGS and PA DEP Data - All Data



Flows estimated as 1.10*O ^ 1.047 based on Measured Flows at Downingtown


East Brandywine at Wawaset-Combined USGS and PA DEP Data (Aug-Nov Data)



Flaws estimated as 1.19*O^1.947 passed on Measured Flows at Downingtown


Draft

East Brandywine at Wawaset-Combined USGS and PA DEP Data - All Data



Flows estimated as 1.10*O^1.047 based on Measured Flows at Downingtown


East Brandywine at Wawaset-Combined USGS and PA DEP Data (Aug-Nov Data) For Flows < 66 cfs



Flows estimated as 1.10°O^1.047 based on Measured Flows at Downingtown


Draft

East Brandywine at Wawaset-Combined USGS and PA DEP Data - All Data



Flows estimated as 1.10*O ^ 1.047 based on Measured Flows at Downingtown


East Brandywine at Wawaset-Combined USGS and PA DEP Data (Aug-Nov Data)



Flows estimated as 1.10°C ^ 1.047 based on Measured Flows at Downing own

Draft


East Brandywine at Wawaset-Combined USGS and PA DEP Data - All Data



Flows estimated as 1.10°O ^ 1.047 based on Measured Flows at Downingtown


East Brandywine at Wawaset-Combined USGS and PA DEP Data (Aug-Nov Data) For Flows < 66 cfs






Flows est mated as 1.10°O^ 1.047 based on Measured Flows at Downingtown


Draft




West Brandywine above Coatesville Flows < 20 cfs




Draft




West Brandywine above Coatesville Flows < 20 cfs




Draft




West Brandywine above Coatesville Flows < 20 cfs



Draft



West Brandywine above Coatesville Flows < 20 cfs



Draft